

KLEPTOSE® HP ORAL GRADE

Definition

Product Identifier

Product name: KLEPTOSE® HP ORAL GRADE

HYDROXYPROPYLBETADEX is a partially substituted
poly (hydroxypropyl) ether of betadex.
INCI : HYDROXYPROPYL CYCLODEXTRIN

Specifications

A) CHARACTERS

APPEARANCE	White or almost white, amorphous or crystalline powder.
SOLUBILITY	Freely soluble in water and in propylene glycol.

B) IDENTIFICATION

IDENTIFICATION-TEST A	EP / NF	COMPLIES
IDENTIFICATION-TEST B	EP / NF	COMPLIES

C) TESTS

APPEARANCE IN SOLUTION	EP / NF	COMPLIES
CONDUCTIVITY	EP / NF	200 microS/cm max.
RELATED SUBSTANCES:		
- IMPURITY A / BETADEX(on DS)	EP / NF	1.5 % max.
- IMPURITY B / PROPYLENE GLYCOL(on DS)	EP / NF	2.5 % max.
- SUM OF IMPURITIES OTHER THAN A(on DS)	EP	1.0 % max.
- ANY OTHER IMPURITY(on DS)	NF	0.25 % max.
- TOTAL OF OTHER IMPURITIES(on DS)	NF	1 % max.
LOSS ON DRYING	EP / NF	10.0 % max.
MOLAR SUBSTITUTION	EP / NF	0.40 - 1.50
PROPYLENE OXIDE(**)	NF	0.0001 % max.
PARTICLE SIZE (Sieve)		
- RESIDUE on 315 microns		20 % max.
- RESIDUE on 100 microns		50 % min.
MICROBIOLOGICAL VALUES:		
- TOTAL AEROBIC MICROBIAL COUNT	EP / NF	1000 CFU/g max.

PRODUCT SPECIFICATIONS SHEET

KLEPTOSE® HP ORAL GRADE

- TOTAL YEASTS AND MOULDS COUNT	EP / NF	100 CFU/g max.
- ESCHERICHIA COLI	EP	Not detected in 10g
- SALMONELLA	EP	Not detected in 10g

Indicatives Values

MOLAR SUBSTITUTION NOMINAL VALUE	EP / NF	0.90
MOLAR SUBSTITUTION (MS)	EP / NF	0.81 - 0.99

Comments

Not intended for use in manufacture of parenteral dosage forms.

Methods used by Roquette may be the Pharmacopoeia methods or alternative validated methods which have been compared to the Pharmacopoeia methods.

Caption

- "EP" stands for European Pharmacopoeia
- "NF" stands for National Formulary from USP-NF
- (**) Monitoring plan

Conformity

Conforms to the requirements of the current monograph

- **European Pharmacopoeia (EP)** HYDROXYPROPYLBETADEX (1804)
- **National Formulary from USP-NF** HYDROXYPROPYL BETADEX

Please contact us for any statement regarding compliance to the General Chapters (elemental impurities, residual solvents, organic volatile impurities, metal catalyst, metal reagent).

Storage

Expiry date Manufacturing date + 5 years, in its unopened packaging.

- The product durability may vary according to packaging type and manufacturing plant. Proper information is shown on labelling and CoA.
- We recommend to preserve the product in its unopened original packaging, preferably protected from wide variations of temperature and humidity.
- Upon opening, use the product as quickly as possible to prevent moisture regain.

Disclaimer

The information provided in this Product Specification Sheet relates only to the specific product designated and may not be applicable



KLEPTOSE® HP ORAL GRADE

when such product is used in combination with other materials or in any process.

All information and instructions provided in this Product Specification Sheet are based on the current state of our knowledge at the latest revision date indicated. It is the responsibility of the user to be aware of and to follow the regulations applying to our product for its possession, handling and use.

Notes : All the dates are formatted like YYYY/MM/DD.